

Our Ref: 41458
EDTEA Ref. No.: **DM/WML/0051/2014**

16 September 2015

Dear Interested and Affected Party (IAP)

**WASTE MANAGEMENT LICENCE APPLICATION: DM/WML/0051/2014
ADDENDUM REPORT: PROPOSED DECOMMISSIONING OF THE GOSWELL DEVELOPMENTS LANDFILL
SITE, CATO RIDGE, ETHEKWINI MUNICIPALITY, KWAZULU-NATAL.**

Thank you for participating in the Basic Assessment (BA) Process for the abovementioned project. Following the submission of the Final BA Report to the Department of Economic Development, Tourism and Environmental Affairs (EDTEA), Goswell Developments (Pty) Ltd requested that a Leachate Management Plan, specific to the decommissioning of the landfill site be developed. Terratest (Pty) Ltd was appointed to conduct this work and as a consequence, this addendum has been included as part of the Closure Plan originally compiled and attached as Appendix F: EMP_r, to the Draft and Final BA Reports.

As the Leachate Management Plan is an addendum to the Draft and Final BA Reports, the EDTEA has requested that this report be circulated for comment prior to issuing the Waste Management Licence. Based on this request, an Addendum Report has been compiled and submitted to the following Key Stakeholders for their review and comment:

Ms N.M. Mokoena - Department of Water Affairs: Water Quality Management;
Mr A. Blackmore - Ezemvelo KZN Wildlife: Planning Division; and
Ms. D. van Rensburg - EThekwini Municipality.

In addition, a copy of the Addendum Report has been made available on the Terratest (Pty) Ltd website for public review (www.terratest.co.za). Copies of the Report can also be emailed to any IAP upon request.

Please may all comments / concerns be submitted in writing to Ms L. Dralle via post, fax or e-mail (as per details below) before **26 October 2015**.

All comments received will be addressed and submitted to the EDTEA for a decision on a Waste Management Licence. All IAPs will be notified of this decision once made.

Yours sincerely



Liz Dralle

FOR: TERRATEST (PTY) LTD